

Industrial Grade design






AC-HDMX4x2 v2.0 4 x 2 HDMI Matrix Switch

Advance Connex AC-HDMX4x2 v2.0 is an economic 4 in 2 out 4K60 HDMI matrix switch. The device allows any four (4) of the sources (Blue-Ray player, HD DVD player, satellite decoder, game system, etc.) to be shown on any of the two (2) displays simultaneously. The HDMI matrix switch 4x2 has the ability of equalization and amplification to ensure HDMI signal's transmission through long cable without quality loss.

Features:

- HDMI 2.0 version
- Max resolution up to 4K@60Hz
- Bandwidth up to 18Gbps
- Version HDCP2.2
- Any 4 video sources to be displayed to any 2 x TV/Projector
- Video switching by panel push button or remote control
- Support audio: optical & 3.5mm

Panel Description:



- 1. HDMI output port 1 & 2
- 2. HDMI input port 1/2/3/4
- 3. EDID setting
- 4. 5v power supply
- 5. Power LED light
- 6. IR (remote control access)
- 7. HDMI video display LED indicator
- 8. Video switching button 1
- 9. Video switching button 2
- 10. Optical audio port 1/2
- 11. 3.5mm audio port 1/2

Specification:

| Resolution | Max 4K@60hz |
|-----------------------|--------------------------------------|
| HDMI version | HDMI2.0 / HDCP2.2 |
| Audio port | Optical & 3.5mm |
| HDMI port | 4 x input, 2 x output |
| Max baud rate | 18 Gbps |
| HDMI input cable | Max 10m |
| HDMI output cable | Max 15m |
| Dimensions | 199 width X 70 dept X 27 height (mm) |
| Net Weight | 300g |
| Power consumption | 5v 1a |
| Operating Temperature | -15° to 45°C |

Connection Diagram:



Package Content:

| HDMI Matrix 4x2 | 1 unit |
|------------------|--------|
| Power adapter 5V | 1 unit |
| User Manual | 1 unit |
| Remote Control | 1 unit |