

Industrial Grade design






AC-HDMX6x2 v2.0 6 x 2 HDMI Matrix Switch

Advance Connex AC-HDMX6x2 v2.0 is an economic 6 in 2 out 4K60 HDMI matrix switch. The device allows any six (6) of the sources (Blue-Ray player, HD DVD player, satellite decoder, game system, etc.) to be shown on any of the two (2) displays simultaneously. The HDMI matrix switch 6x2 has the ability of equalization and amplification to ensure HDMI signal's transmission through long cable without quality loss.

Features:

- HDMI 2.0 version
- Max resolution up to 4K@60Hz
- Bandwidth up to 18Gbps
- Version HDCP2.2
- Any 6 video sources to be displayed to any 2 x TV/Projector
- Video switching by panel push button or remote control
- Support audio: optical & 3.5mm dual ports each

Panel Description:




- 1. HDMI output port 1 & 2
- 2. HDMI input port 1/2/3/4/5/6
- 3. 5v power supply
- 4. Power status LED light
- 5. IR (remote control access)
- 6. Video display LED indicator
- 7. Video switching button 2
- 8. Video switching button 1
- 9. EDID setting
- 10. Optical audio port 1/2
- 11. 3.5mm audio port 1/2

Specification:

Resolution	Max 4K@60hz
HDMI version	HDMI2.0 / HDCP2.2
Audio port	Optical & 3.5mm (2 ports each)
HDMI port	6 x input, 2 x output
Max baud rate	18 Gbps
HDMI input cable	Max 10m
HDMI output cable	Max 15m
Dimensions	200 width X 70 dept X 25 height (mm)
Net Weight	310g
Power consumption	5v 1a
Operating Temperature	-15° to 45°C

Page 2 of 3

Connection Diagram:



Package Content:

HDMI Matrix 6x2	1 unit
Power adapter 5V	1 unit
User Manual	1 unit
Remote Control	1 unit